

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/620,711	07/16/2003	Weiling Peng	HARD1.063A	9592
60148 7590 01/18/2007 GARDERE / JAMES HARDIE			EXAMINER	
GARDERE WY	YNNE SEWELL, LLP	•	GILBERT, WILLIAM V	
1601 ELM STREET SUITE 3000 DALLAS, TX 75201			ART UNIT	PAPER NUMBER
			3635	
SHORTENED STATUTOR	Y PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
31 DAYS		01/18/2007	PAPER	

## Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)			
Office Action Summary		10/620,711	PENG, WEILING			
		Examiner	Art Unit			
		William V. Gilbert	3635			
Period fo	The MAILING DATE of this communication ap or Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)🛛	Responsive to communication(s) filed on 16 J	l <u>uly 2003</u> .	,			
2a) <u></u> □	This action is <b>FINAL</b> . 2b)⊠ This	s action is non-final.				
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims					
4)⊠	4)⊠ Claim(s) <u>1-70</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.						
	Claim(s) is/are allowed.		·			
	Claim(s) is/are rejected.					
7)	Claim(s) is/are objected to.	>.	35			
8)🖾	Claim(s) 1-70 are subject to restriction and/or	election requirement.				
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152,						
Priority u	ınder 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
			*			
Attachment(s)						
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date  5) Notice of Informal Patent Application						
3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date  5) Notice of Informal Patent Application 6) Other:						

Art Unit: 3635

## DETAILED ACTION

## Election/Restrictions

- 1. Restriction to one of the following inventions is required under 35 U.S.C. 121:
  - I. Claims 1-22, 43-55, drawn to a fiber cement product with a removable protective layer, classified in class 428, subclass 41.7.
  - II. Claims 26-42, 56-70 drawn to a method of adhering a protective layer to a finish layer, classified in class 156, subclass 60.
  - III. Claims 23-25, drawn to a method of constructing a building, classified in class 52, subclass 745.05.

The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as process of making and product made. The inventions are distinct if either or both of the following can be shown: (1) that the process as claimed can be used to make another and materially different product or (2) that the product as claimed can be made by another and materially different process (MPEP § 806.05(f)). In the instant

Application/Control Number: 10/620,711

Art Unit: 3635

case the method of Invention II can be used to make other products to protect prefinished items, not merely Invention I.

Inventions I and III are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product. See MPEP \$ 806.05(h). In the instant case the process of Invention III can be used to attach Invention I to virtually any product, not just a building frame.

Inventions II and III are unrelated. Inventions are unrelated if it can be shown that they are not disclosed as capable of use together and they have different designs, modes of operation, and effects (MPEP § 802.01 and § 806.06). In the instant case, the different inventions Invention II is a method of adhering a protective layer to a finish layer and Invention III is a method of constructing a building. They are therefore not capable of being used together.

Art Unit: 3635

Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the examiner if restriction were not required because the inventions have acquired a separate status in the art in view of their different classification, restriction for examination purposes as indicated is proper.

Claim I is generic to the following disclosed patentably distinct species:

Species I: Figure 1A

Species II: Figure 1B

Species III: Figure 2

Species IV: Figure 3

Species V: Figure 6

The species are independent or distinct because each species has a different "spacer" and each shows a different embodiment of the Invention. Applicant is required under 35 U.S.C. 121 to elect a single disclosed species, even though this requirement is traversed. Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or

Application/Control Number: 10/620,711

Art Unit: 3635

that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the

Application/Control Number: 10/620,711

Art Unit: 3635

inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Page 6

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William V. Gilbert whose telephone number is 571.272.9055. The examiner can normally be reached on Monday - Friday, 08:00 to 17:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Naoko Slack can be reached on 571.272.6848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 7

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

WVG MA 1005